































- environment, pedestrian activity and pedestrian–vehicle collision occurrence at signalized intersections. *Accident Analysis and Prevention*, 43, 1624–1634.
- Miaou, S., Lum, H. (1993) Modeling vehicle, accidents and highway geometric design relationships. *Accident Analysis and Prevention*, 25 (6), 689–709.
- Miaou, S. (1994) The relationship between truck accidents and geometric design of road section: Poisson versus Negative Binomial regression. *Accident Analysis and Prevention*, 26(4), 471–482.
- Pulugurtha, S.S., Sambhara, V.R. (2011) Pedestrian crash estimation models for signalized intersections. *Accident Analysis and Prevention*, 43, 439–446.
- Poch, M., Mannering, F. (1996) Negative binomial analysis of intersection accident frequencies. *Journal of Transportation Engineering*, 122(2), 105–113.
- Shankar, V., Mannering, F., Barfield, W. (1995) Effect of roadway geometric and environment factors on rural freeway accident frequencies. *Accident Analysis and Prevention*, 27(30), 371–389.
- Tiwari, G., Bangdiwala, S., Saraswat, A., Gaurav, S. (2007) Survival analysis: Pedestrian risk exposure at signalized intersections. *Transportation Research Part F*, 10, 77–89.
- Ukkusuri, S., Miranda-Moreno, L.F., Ramadurai, G., Isa-Tavarez, J. (2012) The role of built environment on pedestrian crash frequency. *Safety Science*, 50, 1141–1151.
- Wier, M., Weintraub, J., Humphreys, E.H., Seto, E., Bhatia, R. (2009) An area-level model of vehicle-pedestrian injury collisions with implications for land use and transportation planning. *Accident Analysis and Prevention*, 41, 137–145.
- Yannis, G., Golias, J., Papadimitriou, E. (2007) Modeling crossing behavior and accident risk of pedestrians, *Journal of Transportation Engineering*, 133(11), 634–644.